

## FX Maxi - Wall Mounted Recessed

- This is a super strong C Section that can either be surface mounted for a strong Gallery System or can be recessed creating an Architecturally pleasing built in look using Cantilever hangers.
- The rail comes in 2m lengths standard finish for rail and brackets is powdercoat, white and Silver

All rails are supplied in 2 meter lengths with fixing screws and masonry plugs.

[Product Sheet](#)

[Shop Now](#)

[Questions?](#)


FOLLOW THESE SIMPLE STEPS TO GET STARTED - it's quick and easy

**1** Select your  
**Rail**

**2** Select your  
**Hanger**

**3** Select your  
**Hooks**

### STEP 1. Top Rail



Code

Description

Finish

Length



MRS-  
W

Maxi rail - wall. Min order 4 rails.

Silver

2m

[ORDER ONLINE](#)



MRW-  
W





Maxi rail - wall. Min order 4 rails.

White






2m

[ORDER ONLINE](#)

## STEP 2. Hangers

	Code	Description	Length	Use Hook	
	MAS15S	Stainless steel cable - silver bracket (max weight 10kg)	1.5m	LSSSH, HL	<a href="#">ORDER ONLINE</a>
	MAS15W	Stainless steel cable - white bracket (max weight 10kg)	1.5m	LSSSH, HL	<a href="#">ORDER ONLINE</a>
	MAN15S	Nylon cable - silver bracket (max weight 7kg)	1.5m	HM, LNZ, SS	<a href="#">ORDER ONLINE</a>
	MAN15W	Nylon cable - white bracket (max weight 7kg)	1.5m	HM, LNZ, SS	<a href="#">ORDER ONLINE</a>

## STEP 3. Adjustable Hooks

	Code	Description	
	HL	Self-locking hook with Internal Clutch for steel hanger 10kg.	<a href="#">ORDER ONLINE</a>
	LSSH	Super security hook with internal clutch (max weight 15kg with steel hanger)	<a href="#">ORDER ONLINE</a>
	LNZ	Heavy duty nylon self locking zipper (max weight 7kg with nylon hanger or max 10kg with steel hanger)	<a href="#">ORDER ONLINE</a>
	SS	Mini spring hook (max weight 4kg)	<a href="#">ORDER ONLINE</a>
	HM	Mini hook for lightweight pictures (max weight 3kg with nylon or steel hanger)	<a href="#">ORDER ONLINE</a>